INDEX OF AUTHORS AND SUBJECTS

VOL. 79

Compiled by A. R. McGILL

Agonistic behaviour of the giant-petrels *Macronectes giganteus* and *halli* feeding at seal carcasses, 129–132
Albatrosses in the western Tasman Sea, 31–35
  sooty, *Phoebetria fusca* and *P. palpebrata*, breeding biologies, 161–175
Avian community associated with *Eucalyptus microcarpa*, 87–89

Babbler, Grey-crowned, growth of nestling, with notes on determination of age in juveniles, 1–6
BARTON, D., Albatrosses in the western Tasman Sea 31–35; Swimming speed of a Little Penguin, 141–142
BELL, H. L., B. J. COATES and W. A. LAYTON, Notes on Wallace's Wren-warbler *Todopsis wallacii*, with a description of the nest and eggs, 152–154
——, and B. J. COATES, Nesting of William's Fig-Parrot *Opopsitta gulielmitertii*, 230
BERRUTI, A., The breeding biologies of the sooty albatrosses *Phoebetria fusca* and *P. palpebrata*, 161–175
Bird observations on the north-western Nullarbor Plain and neighbouring regions, 1967–1978, 176–190
Birds-of-paradise at Baiyer River Sanctuary, Papua New Guinea, a small collection of eggs, 140–141
BISHOP, K. D. and C. B. FRITH, A small collection of eggs of birds-of-paradise at Baiyer River Sanctuary, Papua New Guinea, 140–141
BLACKHALL, S. A., see D. ROUNSEVELL
BOLES, W. E., The relationships of the Australo-Papuan flycatchers, 107–110
Breeding biologies of the sooty albatrosses *Phoebetria fusca* and *P. palpebrata*, 161–175
  Distribution of the Great Skua at Macquarie Island in relation to numbers of rabbits, 19–23
BRIGGS, S. V., Daytime habitats of waterbirds at four swamps on the northern tablelands of New South Wales, 211–214
BROOKER, M. G., M. G. RIDPATH, A. J. ESTBERGS, J. BYWATER, D. S. HART and M. S. JONES, Bird observations on the north-western Nullarbor Plain and neighbouring regions, 1967–1978, 176–190
BROTHERS, N. P., Further notes on the birds of Maatsuyker Island, Tasmania, 89–91; see D. ROUNSEVELL
BROWN, H. E., see F. H. J. CROME
——, J. L., Growth of nestling Grey-crowned Babblers, with notes on determination of age in juveniles, 1–6
BURBIDGE, A. A., see S. D. HOPPER
Butcherbird, Grey, A new subspecies from the Kimberley, WA, 191–194
BYWATER, J., see M. G. BROOKER

Cisticola, Zitting, Revision in Australia, with a description of a new subspecies, 49–53
COATES, B. J., see H. L. BELL
Cockatoo, White-tailed Black, distribution and taxonomy, 215–227
  Yellow-tailed Black, distribution and taxonomy, 215–227
Co-existence of three species of treecreepers in north-eastern NSW, 120–128
CORRICK. A. H., see G. C. B. POORE
CRAWFORD, D. N., Effects of drought on Green Pygmy-Geese and Comb-crested Jacanas in Northern Territory, 37–39; Effects of grass and fires in birds in the Darwin area, Northern Territory, 150–152
CROME, F. H. J., and H. E. BROWN, Notes on social organization and breeding of the Orange-footed Scrubfowl *Megapodius reinwardt*, 111–119
CULLEN, J. M., see P. N. REILLY

DANN, P., Fourteenth Annual Report of the RAOU Nest Record Scheme, 231–233
Daytime habitats of waterbirds at four swamps on the northern tablelands of NSW, 211–214
DEGABRIELE, R., K. TENISON and H. WOOD, The avian community associated with *Eucalyptus microcarpa*, 87–89

Diet of some birds in *Araucaria* and *Pinus* forest in Papua New Guinea, 36–37
Distribution areas, Maatsuyker Island, Tasmania, 89–91
  North-western Nullarbor Plain, 176–190
  Tasmania, 139–140
  Viti Levu and Taveuni, Fiji, 7–18
DOW, D. D., The influence of nests on the social behaviour of males in *Manorina melanocephala*, a communally breeding honeyeater, 71–83
  see P. H. O'BRIEN
Duck, Pacific Black, Use of habitat and diurnal activity, 54–62

Effects of drought on Green Pygmy-Geese and Comb-crested Jacanas in NT, 37–39
  of grass and fires on birds in the Darwin area, NT, 150–152
Eggs of birds-of-paradise at Baiyer River Sanctuary, PNG 140–141
ESKELL, R., and S. GARNETT, Notes on the colour of the legs, wings and flanks of the Dusky Moorhen *Gallinula tenebrosa*, 143–146
ESTBERGS, A. J., see M. G. BROOKER
Eugerygone rubra, wing-flashing, 43–44

Feeding behaviour of a Purple-crowned Lorikeet on flowers of *Eucalyptus buprestium*, 40–42
Flycatcher, Yellow-legged, nest and eggs, 148–149
Flycatchers, Australo-Papuan, relationships, 107–110
Food of three waders at Lake Reeve, Victoria, 228–229
FORD, J., Speciation or subspeciation in the yellow robins?, 103–106; A new subspecies of Grey Butcherbird from the Kimberley, 191–194; Subspeciation, hybridization and relationships in the Little Shrike-thrush *Colluricincla megarhyncha* of Australia and New Guinea, 195–210
FRITH, C. B., see K. D. BISHOP

GARNETT, S., see R. ESKELL
Geese, Green Pygmy-, effects of drought, 37–39
Growth of nestling Grey-crowned Babblers, with notes on determination of age in juveniles, 1–6

HAMILTON, J. G., see F. I. NORMAN
HART, D. S., see M. G. BROOKER
HERMES, N., see T. STOKES

Heron, White-faced, bathing behaviour, 142–143
HOLYOAK, D. T., Notes on the birds of Viti Levu and Taveuni, Fiji, 7–18
HOPPER, S. D., and A. A. BURBIDGE, Feeding behaviour of a Purple-crowned Lorikeet on flowers of *Eucalyptus buprestium*, 40–42

International Commission on Zoological Nomenclature: Announcements and Opinion, 160, 240

Jacana, Comb-crested, effects of drought, 37–39
JOHNSTONE, G. W., Agonistic behaviour of giant-petrels *Macronectes giganteus* and *halli* feeding at seal carcasses, 129–132
JONES, E., and I. J. SKIRA, Breeding distribution of the Great Skua at Macquarie Island in relation to number of rabbits, 19–23
JONES, M. S., see M. G. BROOKER

Kestrel, Australian, Observations on the diet, 133–138
KING, B. New distributional records and field notes for some New Guinean birds, 146-148

LAMOTHE, L., Diet of some birds in *Araucaria* and *Pinus* forest in Papua New Guinea, 36–37
LAYTON, W. A., see H. L. BELL
Logrunner, male, carrying twigs, 43
Lorikeet, Purple-crowned, feeding behaviour on flowers of *Eucalyptus buprestium*, 40–42

McKEAN, J. L., see R. SCHODDE
MASON, I. J., see R. SCHODDE
Miner, Noisy, Influence of nests on the social behaviour of males, 71–83
Vocalizations of nestlings, 63–70
Moorhen, Dusky, Notes on the colours of the legs, wings and flanks, 143–146
Mortality of adult Little Penguins, 97–102

Nests and eggs of Wallace's Wren-warbler, 152–154
New Guinean birds, new distributional records and field notes, 146–148
New or unusual records for Tasmania during 1977, 139–140
NORMAN, F. I., L. W. THOMSON and J. G. HAMILTON, Use of habitat and diurnal activity of Pacific Black Duck, Chestnut Teal and Grey Teal at Serendip, Victoria, 54–62; see G. C. B. POORE
NOSKE, R. A., Co-existence of three species of treecreepers in north-eastern NSW, 120–128
——, and R. STICKLEN, Nest and eggs of the Yellow-footed Flycatcher, 148–149
Notes on the birds of Viti Levu and Taveuni, Fiji, 7–18

Obituary: H. B. YOUNG, 44
O'BRIEN, P. H., and D. D. DOW, Vocalizations of nestling Noisy Miners *Manorina melanocephala*, 63–70
OLSEN, J., see P. OLSEN
OLSEN, P., W. J. M. VESTJENS and J. OLSEN, Observations on the diet of the Australian Kestrel *Falco cenchroides*, 133–136
ORENSTEIN, R. I., Wing-flashing in *Eugerygone rubra*, 43–44

Parrot, William's Fig-, nesting, 230
Penguin, Little, mortality of adults, 97–102
swimming speed, 141–142
Petrels, Giant, Agonistic behaviour at seal carcasses, 129–132
Philemon buceroides, a new subspecies from Arnhem Land, 24–30
POORE, G. C. B., A. H. CORRICK and F. I. NORMAN, Food of three waders at Lake Reeve, Victoria, 228–229

RAOU Nest Record Scheme, Fourteenth Annual Report, 231–233
REILLY, P. N., and J. M. CULLEN, The Little Penguin *Eudyptula minor* in Victoria, I: mortality of adults, 97–102
Relationships of the Australo-Papuan flycatchers, 107–110
REVIEWS, 45–48, 92–96, 155–160, 234–240
RIDPATH, M. G., see M. G. BROOKER
RILEY, C., see D. ROUNSEVELL
Robins, yellow, speciation or subspeciation?, 103–106
ROUNSEVELL, D., N. P. BROTHERS, S. A. BLACKHALL, C. RILEY and R. I. WILSON, New or unusual records for Tasmania during 1977, 139–140

SAUNDERS, D. A., Distribution and taxonomy of the white-tailed and yellow-tailed black-cockatoos *Calyptorhynchus* spp, 215–227
SCHODDE, R., and I. J. MASON, Revision of the Zitting Cisticola *Cisticola juncidis* (Rafinesque) in Australia, with a description of a new subspecies, 49–53
——, I. J. MASON and J. L. McKEAN, A new subspecies of *Philemon buceroides* from Arnhem Land, 24–30
Scrubfowl, Orange-footed, notes on social organization and breeding, 111–119
Shearwater, Short-tailed, underwater feeding, 43
Shrike-thrush, Little, of Australia and New Guinea, subspeciation, hybridization and relationships, 195–210
SKIRA, I. J., Underwater feeding by Short-tailed Shearwaters, 43; see E. JONES
Skua, Great, breeding distribution at Macquarie Island in relation to numbers of rabbits, 19–23
Social behaviour of males of *Manorina melanocephala*, influence of nests, 71–83
Organization and breeding of the Orange-footed Scrubfowl, 111–119
Speciation or subspeciation in the yellow robins? 103–106
STICKLEN, R., see R. A. NOSKE
STOKES, T., Male Logrunner carrying twigs, 43
——, and N. HERMES, Cluster roosting in the Black-faced Woodswallow, 84–86

Teal, Chestnut, use of habitat and diurnal activity, 54–62
Grey, use of habitat and diurnal activity, 54–62
TENISON, K., see R. DEGABRIELE
THOMSON, L. W., see F. I. NORMAN
Treecreepers, co-existence of three species in north-eastern NSW, 120–128

VESTJENS, W. J. M., Bathing behaviour of the White-faced Heron *Ardea novaehollandiae*, 142–143; see P. OLSEN
Vocalizations of nestling Noisy Miners, 63–70

WILSON, R. I., see D. ROUNSEVELL
WOOD H., see R. DEGABRIELE
Woodswallow, Black-faced, cluster roosting, 84–86
Wren-warbler, Wallace's, notes and a description of the nest and eggs, 152–154

INDEX TO SCIENTIFIC NAMES

Compiled by A. R. McGILL

Acanthagenys rufogularis, 183
Acanthiza apicalis, 183
—— chrysorrhoa, 183
—— ewingii, 90
—— iredalei, 183–186
—— nana, 88
—— pusilla, 88
—— uropygialis, 183
Acanthorhynchus superciliosus, 40
—— tenuirostris, 90
Accipiter cirrhocephalus, 179
—— fasciatus, 179
—— nisus, 7
—— novaehollandiae, 91
—— rufitorques, 7
Acridotheres fuscus, 15
—— tristis, 15, 85
Acrocephalus, 93
—— stentoreus, 50
Aegotheles cristatus, 182
Aerodramus spodiopygius, 11
Alectroenas, 9
Alectura lathami, 111
Anas, 38
—— aucklandica, 54
—— castanea, 54–62
—— crecca, 61
—— gibberifrons, 54–62, 179, 211–214
—— poecilorhyncha, 237
—— rhynchotis, 213
—— superciliosa, 7, 54–62, 179, 211–214
Anous stolidus, 125
—— tenuirostris, 125
Anser, 236
Anseranas, 236
—— semipalmata, 38
Anthus novaeseelandiae, 133, 182
Aphelocephala leucopsis, 183
Aplonis tabuensis, 15
Aptenodytes forsteri, 142
Apus pacificus, 182
Aquila audax, 91, 179
Ardea cinerea, 37
—— novaehollandiae, 89, 142–143, 179, 211–214
—— pacifica, 179
—— sumatrana, 146
Ardeola ibis, 37
Ardeotis australis, 93, 180
Arses telescophthalmus, 37
Artamus cinereus, 84–89, 184
—— cyanopterus, 85–86, 88
—— leucorhynchus, 15, 84–86
—— minor, 85, 184
—— personatus, 184
—— superciliosus, 184
Astrapia mayeri, 140
—— splendidissima, 148
—— stephaniae, 140–141
Aythya australis, 179, 211–214

Barnardius zonarius, 181
Biziura lobata, 179, 213
Branta sandvicensis, 236

Cacatua galerita, 90
—— leadbeateri, 181
—— roseicapilla, 85, 181–187
Cacomantis castaneiventris, 147
—— variolosus, 147
Calidris acuminata, 228–229
—— ferruginea, 180, 228–229
—— ruficollis, 93, 228–229
—— subminuta, 180
Calyptorhynchus baudinii, 103, 215–227
—— funereus, 90, 103, 215–227
—— latirostris, 218–226
—— magnificus, 151
—— xanthanotus, 215
Camphochaera sloetii, 147
Caprimulgus guttatus, 186
Carduelis carduelis, 90
Cecropis ariel, 182
—— nigricans, 90, 182
Centropus bernsteinii, 147
—— chalybeus, 147
—— menbeki, 147
Cereopsis, 236
Certhionyx niger, 184
—— variegatus, 184
Ceyx pusillus, 93
Chaetorhynchus papuensis, 148
Chalcophaps stephani, 147
Charadrius collaris, 93
—— melanops, 180, 213
—— ruficapillus, 228–229
—— veredus, 180
Charmosyna amabilis, 10
—— placentis, 230
Chaseimpis, 108
Chelidorhynx, 109
Chenonetta jubata, 179, 213
Cheramoeca leucosternum, 182
Chlidonias hybrida, 181
Chrysococcyx basalis, 139, 182
—— lucidus, 36, 139
—— osculans, 139, 182
Cinclorhamphus cruralis, 183
—— mathewsi, 183
Cinclosoma, 109
—— ajax, 147
—— alisteri, 183–186
Circus aeruginosus, 57, 89
—— approximans, 8
—— assimilis, 179
Cisticola exilis, 49–53
—— juncidis, 49–53
Climacteris affinis, 127, 183
—— erythrops, 120–127
—— leucophaea, 88, 120–127
—— picumnus, 120–127
Clytomyias insignis, 148
Clytorhynchus nigrogularis, 14
—— vitiensis, 13
Collocalia hirundinacea, 93
Colluricincla, 107
—— boweri, 207–208
—— harmonica, 182, 207–208
—— megarhyncha, 36, 195–209
—— parvula, 195–205
—— tenebrosa, 207–208
—— woodwardi, 207–208
Columba livia, 10, 181
—— vitiensis, 10
Coracina boyeri, 147
—— caeruleogrisea, 36
—— maxima, 182
—— melaena, 93
—— novaehollandiae, 91, 151, 182
—— papuensis, 36, 199–207
Corvus bennetti, 185
—— frugilegus, 132
—— mellori, 93
—— monedula, 132
—— orru, 148, 185
—— tasmanicus, 90, 93
Coturnix australis, 180
—— novaezelandiae, 180
—— pectoralis, 137
Cracticus cassicus, 37, 193
—— louisiadensis, 193
—— mentalis, 193–194
—— nigrogularis, 151, 184, 191–194
—— quoyi, 193
—— torquatus, 151, 184, 191–194
Craterocelis murina, 37, 147
Cuculus pallidus, 181
—— pyrrhophanus, 11–17, 36, 91
—— saturatus, 36
—— variolosus, 36
Culicicapa, 109
Cygnus atratus, 179, 211–214

Dacelo leachii, 151
—— novaeguineae, 88
Daphoenositta chrysoptera, 183, 199–207
Dendrocygna, 38
—— eytoni, 213
Dicaeum geelvinkianum, 148
—— hirundinaceum, 184
Dicrurus hottentottus, 37
—— megarhynchus, 93
Diomedea bulleri, 33, 170
—— cauta, 34, 89, 139
—— chlororhynchos, 33
—— chrysostoma, 33, 169
—— epomophora, 32, 170
—— exulans, 31, 169–170
—— immutabilis, 163
—— irrorata, 158, 164
—— melanophrys, 32, 164–169
Drepanornis, 94
Dromaius novaehollandiae, 179
Drymodes, 108
Ducula latrans, 9
—— pacifica, 10
—— pinon, 147

Egretta alba, 91, 213
—— sacra, 7
Elanus notatus, 179

Entomyzon cyanotis, 151
Eopsaltria, 93
—— australis, 103–106
—— capito, 103
—— flaviventris, 103
—— georgiana, 103
—— griseogularis, 94, 103–106, 108
—— leucops, 103
—— pulverulenta, 103
Ephthianura albifrons, 184
—— aurifrons, 184
—— tricolor, 184
Epimachus, 94
—— meyeri, 140
Eremomela gregalis, 238
Erythrura cyanovirens, 17
—— kleinschmidti, 17
Estrilda amandava, 17
Eudynamys scolopacea, 93
Eudyptes schlegeli, 21
Eudyptula minor, 89, 97–102, 141–142
Eugerygone, 109
—— rubra, 43–44
Eurystomus orientalis, 36

Falco berigora, 90, 146, 180
—— cenchroides, 133–137, 180
—— hypoleucos, 180
—— longipennis, 180
—— peregrinus, 8, 90, 137
—— severus, 146
—— sparverius, 136
—— subniger, 179
—— tinnunculus, 136
Falcunculus, 108
—— frontatus, 88
Finschia, 109
Foulehaio carunculata, 16
Fulica atra, 156, 180, 211–214

Gallicolumba stairii, 10
Gallinago hardwickii, 213
Gallinula chloropus, 144–145, 156
—— tenebrosa, 143–146, 156, 213
—— ventralis, 180
Gallirallus, 8
—— australis, 22
Gallus gallus, 8–17
Gelochelidon nilotica, 93
Geoffroyus heteroclitus, 93
Geopelia cuneata, 181
—— striata, 88
Gerygone chrysogaster, 153
—— fusca, 183
—— magnirostris, 148
Glossopsitta porphyrocephala, 40–42, 181
Grallina cyanoleuca, 151, 184
Gymnomyza viridis, 16
Gymnorhina tibicen, 17, 88, 184, 193

Haematopus fuliginosus, 90
Halcyon chloris, 11
—— pyrrhopygia, 182
—— sancta, 88, 182
Haliaeetus leucogaster, 89
Haliastur sphenurus, 179
Halobaena caerulea, 22
Hamirostra melanosternon, 179
Hemiprocne mystacea, 17
Hieraaetus morphnoides, 179
Himantopus himantopus, 180, 213
Hirundapus caudacutus, 182
Hirundo neoxena, 90, 182
—— tahitica, 11
Hydrobates pelagicus, 159
Hypothymis, 108

Irediparra gallinacea, 37–39

Lalage maculosa, 12
—— sueurii, 88, 182
Lamprolia victoriae, 12
Larus hartlaubii, 238
—— novaehollandiae, 34, 90, 181, 238
—— pacificus, 90
—— ridibundus, 147
Lathamus discolor, 91
Leipoa ocellata, 111, 180
Leistes militaris, 158
Leucocarbo fuscescens, 89
Lichenostomus flavescens, 28
—— ornatus, 184
—— penicillatus, 85, 88
—— plumulus, 184
—— versicolor, 207
—— virescens, 184
Lichmera indistincta, 40
Locustella fasciolata, 147
Lonchura caniceps, 147
—— castaneothorax, 147
—— tristissima, 147

Macronectes, 22, 170
—— giganteus, 129–132
—— halli, 129–132
Macropygia amboinensis, 36
Malacorhynchus membranaceus, 179
Malurus, 93
—— lamberti, 183
—— leucopterus, 183
—— melanocephalus, 151
Manorina flavigula, 183
—— melanocephala, 63–70, 71–83
—— melanophrys, 82
Manucodia, 94
Mayrornis, 108
—— lessoni, 13
Megadyptes antipodes, 100
Megaloprepia magnifica, 147
Megalurus timoriensis, 37
Megapodius, 17
—— freycinet, 206
—— reinwardt, 111–119
Melanerpes formicivorus, 63
Melanodryas cucullata, 88, 182
Melidectes torquatus, 37
Melilestes megarhyncha, 37
Meliphaga albilineata, 26
—— flavicollis, 127
—— montana, 37
Melithreptus validirostris, 127
Melopsittacus undulatus, 181
Merops ornatus, 36, 88, 182
Microeca, 107
—— flavigaster, 149
—— flavovirescens, 149
—— griseoceps, 148–149
—— leucophaea, 182
Micropsitta bruijni, 230
—— pusio, 147, 153
Milvus migrans, 179
Mirafra javanica, 136
Mohoua, 109
Monarcha, 107
—— alecto, 148
—— manadensis, 36
Morus serrator, 89
Muscicapa, 108
—— hypoleuca, 63
Myiagra, 93, 107
—— alecto, 109
—— azureocapilla, 14
—— inquieta, 183
—— vanikorensis, 14
Myzomela jugularis, 16, 148
—— malaitae, 93
—— nigrita, 93

Nectarinia sericea, 93
Neophema chrysogaster, 91
—— splendida, 181
Nesoclopeus poecilopterus, 8–17
Nettapus, 236
—— pulchellus, 37–39
Ninox novaeseelandiae, 91, 182
Northiella haematogaster, 181
Nymphicus hollandicus, 181

Oceanites nereis, 91
Oceanodroma tethys, 158
Ocyphaps lophotes, 181–187
Oedistoma iliolophum, 37, 148
Opopsitta diophthalma, 230
—— gulielmitertii, 230
Oreoica, 108
—— gutturalis, 183
Oriolus szalayi, 37
Orthonyx temminckii, 43
Otus beccarii, 93
Oxyura australis, 213

Pachycephala, 103
—— aurea, 152
—— inornata, 88, 182–186
—— lanioides, 208
—— monacha, 147
—— olivacea, 90
—— pectoralis, 15, 88, 108
—— rufinucha, 148
—— rufiventris, 88, 182, 208
—— simplex, 36, 108
Pachycephalopsis, 107
Pachyptila desolata, 19
—— turtur, 34, 89, 139
Padda oryzivora, 17
Pandion haliaetus, 146
Paradigalla brevicauda, 148
Paradisaea minor, 141
—— rudolphi, 140–141
Pardalotus ornatus, 88
—— punctatus, 88
—— striatus, 139, 184
Parotia carolae, 148
Parus, 132
—— major, 82
Passer domesticus, 90
Pelagodroma marina, 89
Pelecanoides, 22
—— urinatrix, 89
Pelecanus conspicillatus, 179
Peltohyas australis, 180
Peltops, 109
—— montanus, 36
Peneoenanthe, 103
Peneothello, 103
Pericrocotus, 147

Petroica, 93, 107
—— archboldi, 93
—— goodenovii, 88, 182
—— macrocephala, 44
—— multicolor, 14, 90
—— phoenicea, 88
—— rodinogaster, 90
—— rosea, 43
Phalacrocorax carbo, 179
—— melanoleucos, 179, 213
—— varius, 139
Phaps elegans, 90
Phigys solitarius, 10
Philemon buceroides, 24–30, 93
—— citreogularis, 88
—— cockerelli, 93
—— corniculatus, 93
—— eichhorni, 94
—— fuscicapillus, 94
—— gordoni, 24
—— moluccensis, 94
—— novaeguineae, 94
Philentoma, 108
Phoebetria fusca, 34, 89, 161–174
—— palpebrata, 161–174
Phonygammus, 94
Phylidonyris albifrons, 184
—— novaehollandiae, 40, 90
—— pyrrhoptera, 90
Pitohui dichrous, 37
Pitta erythrogaster, 93
—— sordida, 147
—— superba, 93
Platalea flavipes, 213
—— regia, 179
Platycercus caledonicus, 90
—— elegans, 88
—— eximius, 88
Plegadis falcinellus, 179, 213
Podargus strigoides, 182
Podiceps auritus, 156
—— cristatus, 156
—— griseigena, 156
—— nigricollis, 156
Poecilodryas, 103, 108
—— hypoleuca, 36
—— placens, 108, 152
Poephila guttata, 184
Poliocephalus poliocephalus, 179
Poliolimnas cinereus, 8
Polytelis anthopeplus, 181
Pomatostomus superciliosus, 183
—— temporalis, 1–6
Porphyrio porphyrio, 211–214
Porzana tabuensis, 8
Prionodura, 94
Prosopeia personata, 11
—— tabuensis, 11
Psephotus varius, 181
Psittaculirostris desmaresti, 230
Psophodes, 109
—— occidentalis, 186
Pterodroma lessonii, 21
—— leucoptera, 7
—— macroptera, 90
—— phaeopygia, 158
Ptilinopus cinctus, 26
—— coronulatus, 147
—— dupetithouarsii, 9
—— iozonus, 147
—— luteovirens, 9
—— mercierii, 93
—— ornatus, 147
—— perlatus, 147
—— perousii, 9
—— purpuratus, 9
—— raratongensis, 9
—— superbus, 147
—— victor, 9
Ptiloprora erythropleura, 147
—— perstriata, 147
Puffinus bulleri, 139
—— gavia, 89
—— griseus, 22
—— leucomelas, 146
—— tenuirostris, 34, 43, 89, 97, 139
Pycnonotus cafer, 12
Pygoscelis adeliae, 142
—— papua, 142
Pyrrhula pyrrhula, 63

Quelea quelea, 152

Rallus pectoralis, 91
—— philippensis, 8
Recurvirostra novaehollandiae, 180
Reinwardtoena reinwardtsi 147
Rhipidura, 107, 153
—— atra, 37
—— fuliginosa, 88, 90, 183
—— leucophrys, 88, 151, 183
—— rufiventris, 37, 93
—— spilodera, 13

Saxicola caprata, 93
Sericornis beccarii, 93
—— brunneus, 186
—— frontalis, 90
—— fuliginosus, 183
—— keri, 93
Sericulus, 94
Serinus estherae, 92
Smicrornis brevirostris, 183
Sphecotheres viridis, 37, 199–207
Spheniscus demersus, 142
Sphenostoma, 109
Spreo superbus, 82
Stercorarius parasiticus, 34
—— pomarinus, 34, 147
—— skua, 19–23, 34, 170
Sterna anaethetus, 8
—— bergii, 8, 34
—— fuscata, 172
—— paradisaea, 34
—— zimmermani, 92
Stiltia isabella, 181
Stipiturus ruficeps, 186
Strepera fuliginosa, 90
Streptopelia chinensis, 10
Strigops, 94
Sturnus vulgaris, 90, 133
Sula sula, 7

Tachybaptus novaehollandiae, 156, 179, 211–214
—— ruficollis, 156
Tadorna tadornoides, 179
Terpsiphone, 108
Threskiornis aethiopica, 213
—— spinicollis, 179, 211–214
Todopsis cyanocephala, 147–148, 153
—— wallacii, 152–154
Toxorhamphus poliopterus, 37
Toxostoma curvirostre, 6
Tregellasia, 103, 107
Trichocichla rufa, 13
Trichodere cockerelli, 93
Trichoglossus haematodus, 36
Tringa hypoleucos, 180
—— incana, 8
—— nebularia, 180
Troglodytes troglodytes, 82
Turdus, 108
—— merula, 12, 90, 133
—— migratorius, 63
—— philomelos, 12
—— poliocephalus, 12
Turnix powelli, 93
—— velox, 180
Tyto alba, 182
—— capensis, 93
—— longimembris, 93
—— novaehollandiae, 91, 207
—— rosenbergii, 207

Urodynamis taitensis, 11

Vanellus miles, 213
—— tricolor, 180
Vitia ruficapilla, 12

Xanthotis chrysotis, 37
—— polygramma, 37

Zoothera dauma, 90
Zosterops explorator, 16
—— lateralis, 16, 90

VOLUME 79

DATES OF ISSUE

Part 1.	14 February 1979	Part 3.	4 July 1979
Part 2.	9 April 1979	Part 4.	8 October 1979

CONTENTS

Page

Contents iii

RAOU Officers vi

PART 1

JERRAM L. BROWN. Growth of nestling Grey-crowned Babblers, with notes on determination of age in juveniles 1

D. T. HOLYOAK. Notes on the birds of Viti Levu and Taveuni, Fiji 7

EVAN JONES and I. J. SKIRA. Breeding distribution of the Great Skua at Macquarie Island in relation to numbers of rabbits 19

R. SCHODDE, I. J. MASON and J. L. MCKEAN. A new subspecies of *Philemon buceroides* from Arnhem Land 24

D. BARTON. Albatrosses in the western Tasman Sea 31

Short Communications

LORRAINE LAMOTHE. Diet of some birds in *Araucaria* and *Pinus* forest in Papua New Guinea 36

D. N. CRAWFORD. Effects of drought on Green Pygmy-Geese and Comb-crested Jacanas in Northern Territory 37

STEPHEN D. HOPPER and ANDREW A. BURBIDGE. Feeding behaviour of a Purple-crowned Lorikeet on flowers of *Eucalyptus buprestium* 40

Short Notes

I. J. SKIRA. Underwater feeding by Short-tailed Shearwaters 43

TONY STOKES. Male Logrunner carrying twigs 43

RONALD I. ORENSTEIN. Wing-flashing in *Eugerygone rubra* 43

Obituary

HELEN BRAILSFORD YOUNG 44

Reviews 45

PART 2

RICHARD SCHODDE and I. J. MASON. Revision of the Zitting Cisticola *Cisticola juncidis* (Rafinesque) in Australia, with a description of a new subspecies 49

F. I. NORMAN, L. W. THOMSON and J. G. HAMILTON. Use of habitat and diurnal activity of Pacific Black Duck, Chestnut Teal and Grey Teal at Serendip, Victoria 54

PETER H. O'BRIEN and DOUGLAS D. DOW. Vocalizations of nestling Noisy Miners *Manorina melanocephala* 63

DOUGLAS D. DOW. The influence of nests on the social behaviour of males in *Manorina melanocephala*, a communally breeding honeyeater 71

Short Communications

TONY STOKES and NEIL HERMES. Cluster roosting in the Black-faced Woodswallow 84

ROBERT DEGABRIELE, KERRY TENISON and HELEN WOOD. The avian community associated with *Eucalyptus microcarpa* 87

N. P. Brothers. Further notes on the birds of Maatsuyker Island, Tasmania 89

Reviews 92

PART 3

P. N. REILLY and J. M. CULLEN. The Little Penguin *Eudyptula minor* in Victoria, I: mortality of adults 97

JULIAN FORD. Speciation or subspeciation in the yellow robins? 103

WALTER E. BOLES. The relationships of the Australo-Papuan flycatchers 107

F. H. J. CROME and H. E. BROWN. Notes on social organization and breeding of the Orange-footed Scrubfowl *Megapodius reinwardt* 111

R. A. NOSKE. Co-existence of three species of treecreepers in north-eastern New South Wales 120

G. W. JOHNSTONE. Agonistic behaviour of the giant-petrels *Macronectes giganteus* and *halli* feeding at seal carcasses 129

PENNY OLSEN, W. J. M. VESTJENS and JERRY OLSEN. Observations on the diet of the Australian Kestrel *Falco cenchroides* 133

Short Communications

D. ROUNSEVELL, N. P. BROTHERS, S. A. BLACKHALL, C. RILEY and R. I. WILSON. New or unusual records for Tasmania during 1977 139

K. D. BISHOP and C. B. FRITH. A small collection of eggs of birds-of-paradise at Baiyer River Sanctuary, Papua New Guinea 140

DAVID BARTON. Swimming speed of a Little Penguin 141

W. J. M. VESTJENS. Bathing behaviour of the White-faced Heron *Ardea novaehollandiae* 142

ROSALIND ESKELL and STEPHEN GARNETT. Notes on the colours of the legs, wings and flanks of the Dusky Moorhen *Gallinula tenebrosa* 143

BEN KING. New distributional records and field notes for some New Guinean birds 146

R. A. NOSKE and R. STICKLEN. Nest and eggs of the Yellow-legged Flycatcher 148

D. N. CRAWFORD. Effects of grass and fires on birds in the Darwin area, Northern Territory 150

H. L. BELL, B. J. COATES and W. A. LAYTON. Notes on Wallace's Wren-warbler *Todopsis wallacii* Gray, with a description of the nest and eggs 152

Reviews 155

International Commission on Zoological Nomenclature: Announcement 160

PART 4

ALDO BERRUTI. The breeding biologies of the sooty albatrosses *Phoebetria fusca* and *P. palpebrata* 161

M. G. BROOKER, M. G. RIDPATH, A. J. ESTBERGS, J. BYWATER, D. S. HART and M. S. JONES. Bird observations on the north-western Nullarbor Plain and neighbouring regions, 1967–1978 176

JULIAN FORD. A new subspecies of Grey Butcherbird from the Kimberley, Western Australia 191

JULIAN FORD. Subspeciation, hybridization and relationships in the Little Shrike-thrush *Colluricincla megarhyncha* of Australia and New Guinea 195

S. V. BRIGGS. Daytime habitats of waterbirds at four swamps on the northern tablelands of New South Wales 211

D. A. SAUNDERS. Distribution and taxonomy of the white-tailed and yellow-tailed black-cockatoos *Calyptorhynchus* spp 215

Short Communications

G. C. B. POORE, A. H. CORRICK and F. I. NORMAN. Food of three waders at Lake Reeve, Victoria 228

H. L. BELL and B. J. COATES. Nesting of William's Fig-Parrot *Opopsitta guliel-mitertii* 230

Fourteenth Annual Report of the RAOU Nest Record Scheme 231

Reviews 234

International Commission on Zoological Nomenclature: Announcement and Opinion 240

LIST OF PLATES IN VOL. 79

Plate		Opp. Page
1	Giant-petrels at carcasses of seals	130
2	*Macronectes halli* calls and displays after a dispute	131
3	Eggs of birds-of-paradise at Baiyer River Sanctuary, PNG	140
4	Type-specimen of *Cracticus torquatus latens*	191